

Department of Energy


August 31, 1993

Richland Field Office P.O. Box 550 Richland, Washington 99352

9305714

93-RPS-336

Ms. Dru Butler, Program Manager Nuclear and Mixed Waste Program State of Washington Department of Ecology P.O. Box 47600 Olympia, Washington 98504-7600



Dear Ms. Butler:

 \bigcirc

5

HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION FORM 3, REVISION 2, FOR THE T PLANT COMPLEX (TSD: T-2-7)

In a letter from Mr. David C. Nylander to Mr. James E. Rasmussen and Mr. R. E. Lerch dated July 23, 1993, the State of Washington Department of Ecology (Ecology) denied a request for approval of the Hanford Facility Dangerous Waste Part A Permit Application Form 3, Revision 1, for the T-Plant Complex. After reconsidering the denial, Ecology subsequently indicated that RL's request for approval of the Interim Status Expansion could be granted upon submission of: 1) a revised Part A Permit Application and; 2) consideration of a schedule for implementing appropriate actions related to T Plant's dangerous waste tank system. These items are provided herein.

Revised Part A Permit Application for T Plant:

The Hanford Facility Dangerous Waste Part A Permit Application (Part A) Form 3, Revision 2, for the T Plant Complex (T Plant) is provided in Enclosure 1. Ecology stated that the Part A, Revision 1, container storage process design capacity for Buildings 221-T and 2706-T was insufficient and that additional compliant storage capacity would have to be provided. In subsequent meetings with Ecology, it was determined that the intent of this action was to require modification of the process description and identify the T Plant boundary in which Treatment, Storage, and/or Disposal (TSD) activities will occur. Ecology requested the addition of a drawing showing the overall boundary of T Plant. The Part A has been revised to address the addition of language in Section III "Processes" that includes various support structures and/or storage pads within T Plant. A drawing was added to show the site boundary of T Plant.

The Part A has also been revised to delete Dangerous Waste Codes U013, U139, U175, U231, U241, U242, P025, P035, P052, and P079. A review of Washington Administrative Code (WAC) 173-303 shows that these dangerous waste codes have never been included or have been deleted from WAC 173-303-9903 "Discarded Chemical Products List." These dangerous waste codes were deleted in accordance with WAC 173-303. This regulation requires submittal of a revised Part A that includes any changes in previously identified dangerous waste that might have been treated, stored, and/or disposed of at a TSD unit.

Milestone

T Plant Dangerous Waste Tank System - Tank Integrity:

(September 1999).

Ecology indicated that a schedule for obtaining compliance for the T Plant dangerous waste tank system should be provided before approval of the Part A will be granted. While still preliminary, the schedule that is presently being considered is as follows:

•	Target	Implement Periodic Visual Inspection and Static Leak Test Program for 2706-T and 211-T Tanks (October 1993).
•	Target	Complete Conceptual Design Report (Project W-259) for T Plant Tank System Upgrades (April 1994).
•	Target	Submit a Schedule for Completion of T Plant Tank System Upgrades (June 1994).
•	Target	Complete Modification of 2706-T Staging Pad to Eliminate Accumulation of Precipitation (June 1994).
•	Target	Install Level Indication Device for 211-T Tank (June 1994).
•	Target	Complete Scheduled Upgrades to T Plant Tank System (September 1999).
•	Interim	Complete T Plant Tank Interim Status Actions

Consideration of the target action, "Complete Modification of 2706-T Staging Pad to Eliminate Accumulation of Precipitation," is contingent upon the assumption that a discharge permit is not required. The Westinghouse Hanford Company (WHC) and the U.S. Department of Energy, Richland Operations Office (RL) have determined that a discharge permit is not required for approval to alter the 2706-T staging pad slope and allow precipitation to run to the soil rather than into the 2706-T tank system.

Authorization of these and other potential activities, vis a vis available resources, will be discussed with Ecology. In addition, RL is scheduled to meet with Ecology to discuss the proposed M-32 Milestone on August 31, 1993, in Yakima, Washington.

1

--

774

~

ب در

Ms. Dru Butler 93-RPS-336 August 31, 1993

9305714

Should you have any questions regarding this letter, please contact Mr. C. E. Clark, RL, on (509) 376-9333 or Ms. S. M. Price, WHC, on (509) 376-1653.

S⁄incerely,

EAP: PJK

()

9

Robert G. Holt, Acting Program Manager Office of Environmental Assurance,

Permits, and Policy

DOE Richland Operations Office

R. E. Lerch, Deputy Manager Restoration and Remediation Westinghouse Hanford Company

Enclosure: Revised T Plant Complex Dangerous Waste Part A Permit Application

cc w/encl:

D. L. Duncan, EPA,

T. M. Michelena, Ecology

D. C. Nylander, Ecology

M. Jaraysi, Ecology

Administrative Record, H6-08

cc w/o encl:

S. M. Price, WHC

R. C. Bowman, WHC

R. E. Lerch, WHC

10

9

10

ŅĢ

9

This portion of the Hanford Facility Dangerous Waste Part A Permit Application (Part A) consists of a Form 3, Revision 2, that describes the T Plant Complex (T Plant) in general terms.

The Part A, Form 3, has been revised to address the State of Washington Department of Ecology's (Ecology) denial of the Part A, Revision 1, that was submitted on June 30, 1993. Ecology denied approval of the Part A based on two issues: (1) an insufficient description and definition of the T Plant boundary in which treatment, storage or disposal (TSD) activities will occur, and (2) concerns over the compliance status of T Plant's dangerous waste tank system.

Ecology stated that the Part A, Revision 1, container storage process design capacity for Buildings 221-T and 2706-T is insufficient and that additional compliant storage capacity would have to be provided. In subsequent meetings with Ecology, it was determined that the intent of this action was to require modification of the process description and identify the T Plant boundary in which TSD activities will occur. Ecology requested the addition of a drawing showing the overall boundary of T Plant. The Part A has been revised to address the addition of language in Section III "Processes" that includes various support structures and/or storage pads within T Plant. A drawing was added to show the site boundary of T Plant.

The Part A has also been revised to delete Dangerous Waste Codes U013, U139, U175, U231, U241, U242, P025, P035, P052, and P079. A review of Washington Administrative Code (WAC) 173-303 shows that these dangerous waste codes have never been included or have been deleted from the WAC 173-303-9903 "Discarded Chemical Products List." These dangerous waste codes were deleted in accordance with WAC 173-303. This regulation requires submittal of a revised Part A that includes any changes in previously identified dangerous waste that might have been treated, stored, and disposed of at a TSD unit.

Section I <u>U.S. Environmental Protection Agency/State Identification</u> Number - No change.

Section II <u>First or Revised Application</u> - No change.

Section III

Processes - Codes and Design Capacities - This section describes the process codes and process design capacities of this TSD unit. Block A. has not been changed. Blocks B.1. through B.2. have not been changed. Section III.C., "Processes," has been revised to modify the process description to show other locations within T Plant that could be used for container storage.

Section IV <u>Description of Dangerous Waste</u> - This section describes the waste that is stored and treated at T Plant. In Block A., Dangerous Waste Codes U013, U139, U175, U231, U241, U242, P025, P035, P052, and P079 have been deleted. Block B. has not been changed. Block C. has not been changed. Section IV.E., has not been changed. Section V Facility Drawings - The T Plant Complex Site Boundary drawing has been added. Section VI Photographs - No change. Section VII Facility Geographic Location - No change. Facility Owner - No change. Section VIII Section IX Owner Certification - The certification is signed by the Manager, U.S. Department of Energy, Richland Operations Office (RL). Section X Operator Certification - An attachment is provided to the Form 3 to be signed by the Manager, RL as "Owner/Operator" and the President, Westinghouse Hanford Company as "Co-operator." These signatures certify management's belief that the submitted information is true, accurate, and

complete.

S

 \bigcirc

·O

~ 1

500

Please print or type in the unshaded areas only (fill-in areas are spaced for elite type, i.e., 12 character/inch).

(fil	i-in i	rea	3 8/	e spaced for elite type,	i.e., 12	cheracter/inch	/. 										T							
ŀ	3	A .		DANG	ERC	US WA	ST	ΕF	PΕ	RIV	ΛΙΤ	Α	PF	L	IC	ATION	1. EPA	/STATE 1.	0. 1			8 8	6	7
				USE ONLY						•														
_^	PPLI APPI	10/ CV	ED.	I DATÉ RÉCEIVED											C	DMMENTS								
				NEVISED APPLICATION			1			141		1 41.	•	1.1.	1- 4			. (e 11					
lap	olica	tion	. 16	i the appropriate box in this is your first applica Section I above.	ation an	below (mark or d you already k	now y	OUL	(acil	ity's	EPA/	STAT	E I.i), r	Vun	he first application you are ber, or if this is a revised a	pplication,	enter you	it (a	cility	γ' . .	ÉPĂ/	STA	ATE
۸.	FIF	ST		LICATION Iplace an "X																				
		L.] 1.	EXISTING FACILITY (See inst. Iomplete	ructions for del : item below.)	inition	of "	exis	ting"	facil	ity.				2. NEW FA	CILITY (C	omplete iti	em l	belo	wI			
! 		0	ио, 1		ENATIO	TING FACILITIE ON BEGAN OR T loxes to the left	HE D	OVID A 7 E	E TI CON	IE DA	ATE /	mø., o ON Co	day, OMÍ	. & √Er	yr./ VCE	D MO, DAY		FOR NEW PROVIDE (mo., doy, TION BEG EXPECTE	THE . & . NN	DA W) (OR I	JE, OPÉ IS	RA-		
₿.	ΝĒ			APPLICATION Iplace en				tion	/ et	ovel														
-		(X] 1.	FACILITY HAS AN INT	ERIM S	TATUS PERMIT										2. FACILIT	Y HAS A F	INAL PER	MIT					
4 * *				S - CODES AND CAPA																				
Α.	cod	68.	11 :	nore lines are needed, c	onter the	e code(s) in the	space	pro	vide	d. If	a pro	00088	will	be	sh p	rocess to be used at the fa ad that is not included in th	cility. Ter e list of co	s lines are odes belov	pro v, li	vide:	d fo	r en cribe	terk the	1 0
2	•			cluding its design cape	•																			
1				DESIGN CAPACITY - Fo	reachd	ode entered in	colum	n A	onte	ir the	capa	ecity c)	ia t	oroc	69t,								
Γ				F - Enter the amount.			04			ـ ـ ام			· ·	n		(6				•				
C	2. (hily	the	units of measure that	ara lista	d below sticuld	be us	ed.	1661	tiie c	000	From 1	*10	181	01 1	init measine codes below t	HET GESCH	net the un	ut o	r me	8817	76 11	• e a ,	
k.†					PRO- CESS	APPROPRIA MEASURE F	on Pri	OCE:	0F \$5								PRO- CESS	APPR MEAS	UNE	, FO	n P	ROC	ESS	i
_	Sto			PROCESS	CODE	DESIGN (CAPAC	HIY		-				Ŧ		PROCESS	CODE	DE	SIG	N CA	APA	CIT	<u> </u>	
		•		i (barrel, drum, etc)	soi	GALLONS OR	HIER	s							MA		701	GALLO	1 2V	ER f	DAY	r on		
ŗ.	TANK SOZ GALLONS OR LITERS WASTE PILE SO3 CUBIC YARDS OR													S	UNI	ACE IMPOUNDMENT	102	LITERS GALLOI	PEN VS F	'AQ I RB	γ DA1			
	SUBFACE IMPOUNDMENT SO4 GALLONS OR LITERS													11	4CII	VERATOR	103	LITERS TONS P	ER I	IOU	ir o	R_		
Γ	Dist	0068	ıl:													METRIC GALLOI	48 F	ÆA I	HOL	N O HOI	IN: R			
þ	ILM AA I			WELL	D80 D81	GALLONS OR ACRE-FEET (th									***	ER (Use for physical, chemi	nal 104	CITERS GALLON				, on		
	EAD	IUF	1 L			would cover of depth of one f	ne acr							ti	1011	nal or biological treatment sees not occurring in tanks		LITERS				UH		
	LAN	י טו	\PPI	ICATION	D82	OR HECTARE I	METER CTARI	S							urfa tors	ce impoundments or inche . Describe the processes in)-)							
				POSAL	D83	GALLONS PER DA	۱Y							tl	16 15	pace provided; Section III (:.}							
	SUF	IFA	CE II	MPOUNDMENT .	D84	GALLONS OR	LHER	5								UT OF								_
	i iaii	ΓΩ	C BAI	M	INIT OF EASUN CODE			A1114	ne i	MEAS	1105				ME	NIT OF ASURE CODE U	IIT OF ME	ARLIDE			ħ	UNII MEAS	5UA	E
Ī				Mache			**-															СО		_
	LITE	กร				Ş	T	ONS	PER	JOH	ж					iii b iii W	CTARE M	ETEN				• • •	• •	È A
	ČÜĔ GAI	IČ I	VE T	ÖS ERS ER DAY	6	j	G	ALLO	วพร	PER	HOU	Ř				E HE	CTANES :				• •		:: (ă
						SECTION III (s.	hown	in lin	e no	ımbe lacili	rs X-	1 and	X-2	2 ba	elov	v): A facility has two store	ge tanks,	one tank o	en					
	Ι.	Dr	_			GN CAPACITY	V					T	Δ.			B. PROCESS I					7			
 L N	11 (PI CES COD	s I				2. U	INIT] c	FOI FFIC	IAL .	Ιij	6	ES	S				2.	UN UN	ıπ	OF	FO! FIC	IAL
N E	110	oni bov	list	1. AN Ispe	IOUNT		SU	RΕ		ONL		N B	Wie	oni bau	list	1. AMOU Ispecify	INT //		5	URE	Εŀ		USE ML	
<u>`</u> i							cod		_			Ñ								ode				
X-1	s	О	2	60	00	0 6						5	T	0	4	1,000)		1	U		T	T	T
X-2	7	o	3	2	20 E						6	S	0	5	46,000)			Υ			T	1	
1	s	0	2	77,4	00 G						7												I	
2	T	0	1	14,0	14,000 U							8				,								
3	T	0	4		2		מ					9												L
4	S	0	1	200,0	00		0		Ĺļ			10												

Continued from the front.

ш.	PROCESSES	(continued)	

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

SEE ATTACHED

-		
	A DESCRIPTION OF	

A. DANGEROUS WASTE NUMBER - Enter the four digit number from Chapter 173-303 WAC for each listed dengerous waste you will hendle. If you handle dengerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.

ESTIMATED ANNUAL QUANTITY - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

UNIT OF MEASURE - For each quantity entered in culumn B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE CO	DDE	METRIC UNIT OF	F MEASURE	CODE
POUNDS	P			

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of processes codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: {1} Enter the first three as described above; {2} Enter "000" in the extreme right box of Item IV-D(1); and {3} Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code la not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

Τ

EXAMPLE FOR COMPLETING SECTION IV *Ishown in line numbers X-1, X-2, X-3, and X-4 below)* - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and lightable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

Γ	Т									Γ											D. PROCESSES	
1 1 2 C	.				ous io.	B. E: QU/	STIMATED ANNUAL ANTITY OF WASTE	C. UNIT OF MEA- SURE (enter code)		1. PROCESS CODES (antar)											2. PROCESS DESCRIPTION (il a code is not entered in D(1))	
X-1	\ \	1	0	5	4		900		P		7	10	3	D	8	0		1	1		1	
X-2		,	o	0	2		400		ρ		7	10	3	o	8	10		1	Γ.	1		
X-3	0	,	o	0	,		100		P		r	10	3	D	B	10		Ţ	l .	T	T_	
X-4	o	,	o	0	2						7	0	3	D	B	To		[[1	1	included with above

III. C., PROCESSES

The T Plant Complex (T Plant) is located in the 200 West Area of the Hanford Facility and consists of two structures, the 221-T Building (221-T) and the 2706-T Building (2706-T), and various support structures and/or storage pads within T Plant. The 221-T and 2706-T buildings are used for the storage (tank, container, and miscellaneous equipment) and treatment (tank, container, and decontamination activities) of mixed waste before transfer to the Double-Shell Tank (DST) System and/or the Central Waste Complex (CWC). The various support structures and/or storage pads are used for storage and treatment of mixed and/or dangerous waste until processed and transferred to the CWC and/or the 616 Nonradioactive Dangerous Waste Storage Facility (616 NRDWSF). The storage buildings located outside the 2706-T Building also are used to store containerized mixed and/or dangerous waste until transferred to the CWC and/or 616 NRDWSF. The following are the storage and treatment processes for T Plant.

SO2

Liquid mixed waste from decontamination activities within the 221-T is transferred to a tank system consisting of five stainless steel storage tanks: tank 5-6 [4,600 gallons (17,400 liters) design capacity], tank 5-7 [10,000 gallons (38,000 liters) design capacity], tank 5-9 [4,800 gallons (18,200 liters) design capacity], tank 11-R [14,000 gallons (53,000 liters) design capacity], and tank 15-1 [14,000 gallons (53,000 liters) design capacity] located in reinforced concrete cells within 221-T. Tanks 5-6, 5-7, 5-9, and 11-R are used for secondary storage of liquid mixed waste and tank 15-1 is used for primary storage of liquid mixed waste. The maximum storage process design capacity of the five storage tanks is 47,400 gallons (179,600 liters).

Liquid mixed waste from decontamination activities at the 2706-T currently is transferred by underground pipeline to the 221-T tank system for storage until transferred to the DST System. In a future process, the liquid mixed waste from the decontamination activities at 2706-T will be stored in two proposed double-walled stainless steel tanks that will be located on the northside of 2706-T. The underground pipeline to the 221-T tank system will be used as a backup for these proposed storage tanks. Each 2706-T tank will have a process design capacity of 15,000 gallons (57,000 liters) for a maximum storage process design capacity of 30,000 gallons (114,000 liters).

The maximum storage process design capacity for the liquid mixed waste storage tanks at the 221-T and 2706-T is 77,400 gallons (293,600 liters).

<u>T01</u>

0

The liquid mixed waste that is stored in the 221-T, tank 15-1 is normally transferred by railroad car to the DST System. If the liquid mixed waste is transferred by underground pipelines, tank 15-1 is used to treat the liquid mixed waste to a pll greater than 12.0 before transfer to the DST System. This treatment process makes the liquid mixed waste more amenable for storage in the DST System. The maximum treatment process design capacity for tank 15-1 is 14,000 gallons (53,000 liters) per day.

9

III. C., PROCESSES (Continued)

T04

The decontamination activities (treatment) are performed within the following structures within T Plant.

The decontamination activities occur in 221-T in equipment referred to as thimbles and troughs, which are located in the canyons on the cell blocks over cells 8-R, 11-R, and 15-R. There are three stainless steel thimbles: thimble 1 is a 2,000 gallon (7,600 liter) open top tank with a tube section recessed through the cover block over cell 11-R; thimble 2 is a 300 gallon (1,200 liter) square open top tank with a tube section recessed in the cover block over cell 15-R; and thimble 3 is a 332 gallon (1,300 liter) open top tank with a tube section recessed in the cover block over cell 15-R. There are three stainless steel rectangular troughs: trough 1 is 18 feet (5.5 meters) long by 2 feet (0.6 meters) wide by 3 feet (0.9 meters) high; trough 2 is 8 feet (2.4 meters) long by 4 feet (1.2 meters) wide by 4 feet (1.2 meters) high; and trough 3 is 12 feet (3.7 meters) long by 8 feet (2.4 meters) wide by 4 feet (1.2 meters) high. The decontamination activities consist of decontaminating process equipment (i.e., pipelines, jumpers), various pieces of equipment (i.e., pumps, motors, damaged tools, etc.), and other discarded materials for recycle or disposal on the Hanford Facility. The decontamination process consists of placing equipment in the thimbles, troughs, or designated areas on the canyon deck and using air, steam, water, chemicals, and/or other methods to remove the contamination. The liquid mixed waste that is generated by this process is transferred to the 221-T tank system and then to the DST System. Solid mixed waste generated by this decontamination process (i.e., air blasting) is placed in U.S. Department of Transportation-approved containers for storage until transferred to the CWC.

The decontamination activities in the 2706-T occur over railroad and automotive pits located within the building. The railroad pit is 55 feet (16.9 meters) long by 17 feet (5.2 meters) wide by 6 feet (1.8 meters) deep. The automotive pit is 30 feet (9.1 meters) long by 4 feet (1.2 meters) wide by 6 feet (1.8 meters) deep. The 2706-T is used to decontaminate railroad equipment, buses, trucks, automobiles, cranes, earth moving equipment, and large pieces of plant process equipment by using air, steam, water, chemicals, and/or other methods to remove the contamination. The liquid mixed waste generated by this process is collected in the railroad pit and transferred to the 221-T tank system and then to the DST System. Solid mixed waste generated by this decontamination process (i.e., air blasting) is placed in U.S. Department of Transportation-approved containers for storage until transfer to the CWC.

The maximum treatment process design capacity for 221-T and 2706-T is 2 tons per hour (1.8 metric tons).

III. C., PROCESSES (Continued)

S01, T04

1

The storage and treatment of the dry and liquid mixed and/or dangerous waste in various sized containers will occur in the railroad tunnel, on the canyon deck and in various cells within the 221-T, and in support structures and/or storage pads located within the boundaries of T Plant. Container storage capability at T Plant is required due to the need to complete laboratory analysis and characterization of mixed and/or dangerous waste samples before transferring the waste containers to the CWC and/or 616 NRDWSF. The treatment capability is needed in the event that it is necessary to add adsorbent or neutralize the contents of some containers before transfer.

The maximum storage process design capacity is 200,000 gallons (758,000 liters) and the maximum treatment process design capacity is 1,000 gallons (3,800 liters) per day.

SO5

VO.

^ !

9

The designation SO5 (storage miscellaneous) has been used to indicate that solid mixed waste stored on the canyon deck and in various cells is considered to be stored in a containment building subject to the requirements of 40 CFR 265, Subpart DD rather than a waste pile subject to the requirements of 40 CFR 265, Subpart L. The solid mixed waste consists of low-level process equipment, jumpers, and various other materials that might go through the decontamination process.

The maximum storage process design capacity on the canyon deck and in the cells is 46,000 cubic yards (35,200 cubic meters).

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 B 9 O O O B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE A. DANGEROUS WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (enter fif a code is not entered in DIIII (enter code) 77 D. 0 0 279,000,000 01 04 Storage-Tank/Treatment-Tank-Other 0 0 (Decontamination Activities) D. D 0 0 3 Т D 0 0 D 0 0 D O 0 6 0 0 0 7 B D lo 0 8 1 D 0 0 9 Ŧ Т 7-7 D 0 0 1 1-D 0 1 1 1 T 12 0 8 1 T D 10 1 9 0 2 2 D ۲. D 0 2 8 2 0 0 3 10 0 3 0 3, Т 1 0 3] 21 D. 0 3 6 22 D lo | 3 | 8 7---23 3 0 9 7-7 0 4 0 7-7 25 0 4 1 26

-

CONTRIBE OF DEVERSE

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 westes to list. I.D. NUMBER fentered from page 1) WA 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNII OF MEA-SURE lenter codel N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) lenter codel Storage-Tank/Treatment-Tank-Other 279,000,000 0 (Decontamination Activities)(Cont.) 0 (Continued) W C 0 1 7-1 W C 0 2 Р W 0 1 W P 0 ţ--T 1-1 0 0 1 T 7-1-2 10 0 Г 1-1 0 0 3 1-1 0 0 4 Included With Above 0 0 TT2 1-1 11 14 15 16 1 17 18 77 19 TT 20 17 1-1 1-1-22 1 23 77 7 7 77 11 24 77 26

1

1

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE fenter N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (anter) (enter code) codel Storage-Container/Treatment-Other 104 1 0 0 2,000,000 2 0002 Τ 3 D 10 0 3 $\mathsf{T}\mathsf{T}$ TD 0 0 0 0 5 ID. lD 0 0 6 T n 0 0 1 lD 0 0 8 D Ю 9 0 1 777 0 0 1 $\mathsf{T}\mathsf{T}$ `\'1 0 1 1 7 7 0 2 1 T D 0 1 6 TT D 0 8 1 15 0 9 מו 1 16 lo 0 2 0 77 17 lD 0 2 $\mathsf{T}\mathsf{T}$ \Box 18 2 D 0 111 7-7 T 19 2 D 0 3 TT \top 20 lo. 0 2 4 TT D 0 2 5 7 T 7 TT22 0 2 lD. 6 23 2 D 0 TT 24 2 0 8 1-1 25 0 2 9 26 EC130 271 ECY 030-31 Form 3 PAGE 3 OF 5 CONTINUE ON REVERSE

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER lentered from page 1) W A 7 8 9 0 0 0 B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter (enter code) $\mathsf{T}\mathsf{T}$ Storage-Container/Treatment-Other D 0 3 1 04 (Continued) 2 D 0 3 0 3 3 Ю 0 3 4 3 D 0 5 0 3 6 3 D 0 0 3 D 8 0 3 9 D 1 $\mathsf{T}\mathsf{T}$ D 0 4 0 D 0 4 1 1 0 b 4 0 4 D 3 T 0 15 T 0 2 W 16 C 0 TT c 0 W 18 W P 0 P 0 2 W 20 P W 0 3 21 0 0 22 0 0 23 0 0 2 \Box 0 0 3 25 0 0 4 26 0 ECL30 - 271 -ECY 030-31 Foint 3 PAGE 3 OF 6 CONTINUE ON REVERSE

ľ

ŀ

CONTINUE ON DEVERSE

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER lantered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (anter code) N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) lenter codel TTStorage-Container/Treatment-Other (Continued) (0) U. U ulo T TU -r--T U TU, TTU U ulo T TU T u U 7-7

PAGE 3

ľ

OF 5

Continued from page 2.
NOTE: Photocopy this page before completing if you have more than 26 wastes to list. 1.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) ٦٠٦ <u>U 0 2</u> <u>s</u>oi Storage-Container/Treatment-Other (Continued) U 0 2 0 2 2 2 10 T-1 lulo 2 2 ulo 5 7 Tulo 2 6 2 u lo 2 U O 8 2 U O 9 U O 3 0 U 0 3 3 0 U 3 0 lu lo 3 16 U 3 10 5 0 3 6 T T 18 3. 7 n 0 3 8 3 U 0 0 4 4 0 0 4 3 0 4 4 25 0 4 5 7 7 T26 ECL30 - 271 -PAGE 3 OF 5 CONTINUE ON REVERSE ECY 030-31 Form 3

.. ----

CONTINUE ON REVERSE Storage-Container/Treatment-Other 2. PROCESS DESCRIPTION III a code is not entered in D(1)) (Continued) D. PNOCESSES PROCESS CODES Continued from page 2.
NOTE: Photocopy this page before completing if you have more than 26 wastes to list.
I.D. NUMBER fentered from page 11 <u>8</u>-PAGE 3 C. UNIT OF MEA-SURE fenter code) م'ح IV. DESCRIPTION OF DANGEROUS WASTES (confined) B. ESTIMATED ANNUAL QUANTITY OF WASTE W A 7 8 9 0 0 0 8 9 6 7 DANGEROUS WASTE NO. 5 6 8 9 0 2 <u></u> _ 8 6 0 -2 3 1 $\overline{}$ 3 4 6 ~ 8 6 0 2 3 ~ (enter code) 9 4 4 4 4 5 5 5 5 5 3 5 2 2 9 9 6 9 6 6 9 9 / ~ 0 0 0 0 0 O i 0 \supset \Rightarrow \supset U n) \Rightarrow \Rightarrow U U \Rightarrow \Rightarrow \Box \supset \Rightarrow Э \Rightarrow \supset \Rightarrow \Rightarrow \Rightarrow \supset \supset \Rightarrow \supset zo · C 26 3 ő 15 16 Φ, 1 17 18 19 20 7 22 23 24 52 N 4 (S φ \sim ∞ (; -i-Zu

CONTINUE ON REVERSE

Continued from page 2.
NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER fentered from page 11 W A 7 B 9 O O O B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SUME (enter code) A. DANGEROUS WASTE NO. N O B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) 1 1 P Storage-Container/Treatment-Other (Continued) $\mathsf{T}\mathsf{T}$ 7 8 8 0 0 8 2 1-1 -1-1 T 1_[9 2 U T Ţ TT TT U 7-1 U 1-1 TT TT7....

PAGE 3

OF 5

\ | i

ECY 030-31 Form 3

ſ

ECL 30 - 271 -

D.	 P S01 T04																							
IV. DESCRIPTION OF DANGEROUS WASTES (confined)	1 0 1	0	0 1	0 1 1	U 1 1	U 1 1 8	U 1 1 9	0 1 2 0	U 1 2 3	U 1 2 4	U 1 3 4	U 1 3 6	U 1 3 7	U 1 4 0	U 1 4 5	U 1 4 6	U 1 4 8	U 1 4 9	U 1 5 0	U 1 5 1	U 1 5 2	U 1 5 3	U 1 5 4	26
CONTRACTOR OF STANDARD CONTRACTOR AND CONTRACTOR OF CONTRA	SURE 1. PROCESS CODES (enter)	LOUIT OF WASTE NO. B. ESTIMATED ANNUAL SURF COURT COUNTY OF WASTE COURT COUNTY OF WASTE COURT COUNTY OF WASTE COURT COURT COUNTY OF WASTE COURT	DESCRIPTION OF PARKED ANNUAL OF MEAN 1 PROCESS CODES 1 PROCE	DESCRIPTION OF PARTED ANNUAL C. UNIT OF MEATED ANNUAL OF MEATE	Description of Parage Annual Sufficients Description of Parage A	Description of Paragraphs Description of Paragraphs	Description of Dangerous Wastes Commission C. Unit Commission Commission	U D Statistics Country Cou	Description of Dangeroos Wastes Communication (C. Unit of Waster) Description of Dangeroos Wastes (Context code) Description of Dangeroos Wastes (Context code) Description of Des	U 1 0 2 0 0 0 0 0 0 0 0	U D Z C WASTE Control C WASTE C WAST	U 1 0 2 0 0 0 0 0 0 0 0	U 1 2 2 3 4 4 5 5 5 5 5 5 5 5	U 1 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	U 1 1 2 2 3 4 4 5 5 5 5 5 5 5 5	Variation of Parameters Variation of Wassen Variation of Was	Namoditions Namoditions	Day Day	Variations Participations Variations Variations	Navorations (Sec. Mar. 1)	U 1 0 2 2 0 0 1 1 1 1	1 1 2 2 3 3 4 4 5 5 5 5 5 5 5 5	Manual Content of Co	Comparison and the control of the co

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. FIZE B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION 1. PROCESS CODES (enter) lenter (if a code is not entered in D(1)) (enter code) П Storage-Container/Treatment-Other 5 5 5 (Continued) 2 U | 1 6 U | 1 5 U 5 8 1 Ί U 5 9 6 Ujl 6 0 T 7 6 U 1 1 6 6 1 6 U 6 5 uli 6 6 13 U 6 7 **G**3 U 6 8 U 6 9 1 T Ţ 16 7 U 0 17 1 1 18 2 U 1 19 U 7 3 7 u 4 1 \top U 7 6 1 1 22 7 | 7 1 23 7 8 U 7 9 U 1 8 0 1 I = I26 CONTINUE ON REVERSE EC130 - 271 ECY 030-31 Form 3 PAGE 3 OF 5

ľ

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER lentered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) Storage-Container/Treatment-Other 8 (Continued) 2 8 1 3 8 1-1 8 4 1 6 U 1 8 5 T 1-1 8 6 T T-1 1 8 7 1 8 8 8 9 1 9 0 9 1 1 9 2 9 3 1 Т 1_1. 9 4 1 7-1 1 1 15 9 6 1 16 1 9 7 Т T---T 17 2 0 0 2 0 19 2 0 2 T 2 0 T 21 2 0 2 0 5 T 7---23 2 0 6 2 0 7 T 25 2 0 8 U TT FCY 030-31 Form 3 PAGE 3 OF 5 ECT 30 271 CONTINUE ON REVERSE Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER fentered from page 11 W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE lenter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) 7-7 Storage-Container/Treatment-Other <u>U [2</u> 1 0 (Continued) 2 U 2 1 U 2 1 11 U 2 1 3 U 2 1 4 U 2 l 5 U 2 6 1 T--T 2 2 U 8 $\mathsf{T}\mathsf{T}$ U 2 9 U 2 2 0 U 2 2 -I--I U 2 2 U 2 2 3 TI 16 U 2 2 5 16 U 2 2 6 T 17 U 2 2 7 U 2 2 8 U 2 3 0 20 U 2 3 2 21 2 U 3 3 2 U 3 4 lu 2 3 5 T 24 2 3 6 25 3 7 2 1 1 26 PAGE 3 OF 5 CONTINUE ON REVERSE FCY 030-31 Form 3 FC130 271 -

1

Į

FC1 30

1

1

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER tentered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE L N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES lenser (enter) (enter code) code Storage-Container/Treatment-Other 2 3 8 (Continued) 2 U 2 3 9 2 4 U 0 11 U 2 4 3 T 2 U 4 4 6 2 U 4 5 7 2 4 6 177 2 4 0 0 48 0 0 loi 0 3 P 0 0 7--1 P 0 0 5 7 T p 0 0 6 15 0 0 P 7 16 0 0 p 8 77 þ 0 9 0 18 P 0 1 0 P 0 T-1 20 P ١٥ 2 1 T Т P 10 77 22 P 0 1 4 TT 23 Ρ 0 5 1 7-1 24 Р 0 1 6 25 p 0 7 1 1.1 26 CONTINUE ON REVERSE PAGE 3 OF 6 FCY 030-31 Form 3

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER lentered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION 1. PROCESS CODES (enter) lenter code) (enter code) Storage-Container/Treatment-Other $P \mid 0$ (p (Continued) P (P. Plo P TT O p ſΡ T T $\top \top$ 0 4 8

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. 1.D. NUMBER lentered from page 11 W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION lenter code) (if a code is not entered in D(1)) (enter code) Storage-Container/Treatment-Other 4 9 (Continued) Ю P 7 7 1 1 B 6 0 б \top T = T7-1 **O** P 6 8 1-1 P P P $\mathsf{T}\mathsf{T}$ P P P P Ю PO ECI.30 - 271 -ECY 030-31 Form 3 PAGE 3 OF 5 CONTINUE ON HEVERSE

CONTINUE ON DEVERSE

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 B 9 0 0 0 B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter N DANGEROUS O WASTE NO. FIZE B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) codel Storage-Container/Treatment-Other (Continued) P 8 8 р 1-1 $T\Pi$ 0 6 T - T \top | 7 T 7--'ol 8 TTTT T

PAGE 3

OF 5

ECL 30 - 271 -

ECY 030-31 Form 3

CONTINUE ON REVERSE

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES fenter (enter) lenter code) codel TT ŤQ4 Storage-Container/Treatment-Other 3 1 2 1 (Continued) 1 4 3 P l 5 Included With Above 1 1—5 5 77 6 1_1 T 7 1-1 1 TT 47 1-1 T13 9 15 16 17 18 19 1-1 $\mathsf{T}\mathsf{T}$ 20 $\mathsf{T}\mathsf{T}$ 21 77 22 23 T24 25 7-7 T 26 ECI 30 - 271 -ECY 030-31 Form 3 OF 5 PAGE 3

-

Continued from page 2.
NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER lantered from page 1) W A 7 B 9 O O O B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNII OF MEA SURE fanter A. DANGEROUS WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (anter) (enter code) codel Storage-Miscellaneous 10,000,000 Q (Containment Building) lo. .1...1. D 7,777 1-1 1 1 lol 8 ΪÍ l D D 3 | D lD. 8 | 1-1 0 0 blo lD. CONTINUE ON DEVENSE PAGE 3 OF 5 FCY 030-31 Form 3

CONTRACTO CONTRACTO

Continued from page 2, NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 8 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA SURE (enter code) A. DANGEROUS WASTE NO. B. ESTIMATED ANNUAL GUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a goda is not entered in D(1)) 1. PROCESS CODES (enter) lenter code) TStorage-Miscellaneous 10,000,000 (Containment Building) (Continued) T 0 2 (Continued) W TT lc lol 1 T-1 W C 0 W ρ 0 1-1 W 0 7.7 1 0 0 1 1 0 0 2 17 0 0 3 ത 0 0 1--1 0 0 5 Included With Above 13 1-1 1 ______ 16 16 1 1-1-17 18 : $\mathsf{T}\mathsf{T}$ 19 _______ 20 21 22 7-1 1 1 23 24 26 26

1

Continued	from	the	front

IV. DESCRIPTION OF DANGEROUS WASTES (continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The T Plant Complex (T Plant) is used for the storage and treatment of mixed waste and/or dangerous waste. The mixed waste is transferred to the Double-Shell Tank System and/or Central Waste Complex. The dangerous waste is transferred to the 616 Nonradioactive Dangerous Waste Storage Facility.

The dangerous waste codes identified in Section IV.A. are associated with mixed and/or dangerous waste that could be stored and/or treated at T Plant. The mixed and/or dangerous waste consists of listed waste, characteristic waste, waste from nonspecific sources, toxicity characteristic waste, and state-only waste (extremely hazardous and dangerous waste).

The estimated annual quantities of mixed waste listed for SO1, SO2, SO5, TO1. and TO4 and dangerous waste for SO1 and TO4 represent the maximum quantities of dry and liquid waste that could be stored and treated at T Plant. Future operations might necessitate an increase in excess of these estimates and a revision could be pursued as required by the dangerous waste regulations.

٦	*1	
4		
٦	V. SACILITY DRAWING	
┛	V. FACILITY DRAWING	
٦	All existing facilities must include in the space provided on page 5 a scale drawin	J Of the facility (see instructions for more detail).
ŀ	VI. PHOTOGRAPHS	
	sites of future storage, treatment or disposal areas (see instructions for more det	
1	VII. FACILITY GEOGRAPHIC LOCATION This information	is provided on the attached drawings and photos.
Ļ	LATITUDE (degrees, minutes, & seconds)	LONGITUDE (degrees, minutes, & seconds)
7	>	
	VIII. FACILITY OWNER	
	X A. If the facility owner is also the facility operator as listed in Section VII on F below.	orm 1, "General Information", place an "X" in the box to the left and skip to Section IX
	B. If the facility owner is not the facility operator as listed in Section VII on Fo	orm 1, complete the following items:
Ţ	1. NAME OF FACILITY'S LEGAL O	WNER 2, PHONE NO, (area code & no.)
ļ		
ł	3. STREET OR P.O. BOX	4. CITY OR TOWN 5. ST. 6. ZIP CODE
Ì	 	
1		
ı	IX. OWNER CERTIFICATION	
	I certify under penalty of law that I have personally examined and am familiar with inquiry of those individuals immediately responsible for obtaining the information. there are significant penalties for submitting false information, including the possibilities.	the information submitted in this and all attached documents, and that based on my I believe that the submitted information is true, accurate, and complete. I am aware that illity of line and imprisonment.
	NAME (print or type) SIGNATUR	DATE SIGNED
	John D. Wagoner, Manager U.S. Department of Energy	11/1/1/1/2012 / 1/2 /1/2
	Richland Operations Office	W. W/W/W \ 8150/93
-	X. OPERATOR CERTIFICATION	
17	I certify under penalty of law that I have personally examined and am familiar with	the information somitted in this and all attached documents, and that based on my
ľ	there are significant penalties for submitting false information, including the possib	ility of fine and imprisonment.
	NAME (print or type) SIGNATURE	DATE SIGNED
	SEE ATTACHMENT	
	ECLOD 371 ECV 020 31 Form 3	CE A DE E

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Owner/Operator

9

9


John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office Date

Co-operator

Thomas M. Anderson, President Westinghouse Hanford Company 8/27/93 Date

8/30/93


T PLANT COMPLEX SITE PLAN



T Plant Complex ev. 2, 08/30/93, Page 27 of 40


ZIT-T T PLANT COMPLEX - SITE BOUNDARY 2716-T 7 Tunnel Access Change Room 277-T Storage o Q 291-T Sand Filter Bl Air Duct 7 291-T Stack 214-T Chemical Storage 500 1 291-7 221-T Decentamination Canyon Facility 967a1 7-12 224T TRUSAF MO-635 2786-T Low-Level Decontamination Facility Shoo 224-T

T PLANT COMPLEX - 221-T SITE PLAN




T Plant Complex ev. 2, 08/30/93, Page 29 of 40

T PLANT COMPLEX - 221-T CUTAWAY



T Plant Complex 2, 08/30/93, Page 30 of 40

T PLANT COMPLEX - 2706-T SITE PLAN



39207042.2


T PLANT COMPLEX AERIAL VIEW



221-T BUILDING

46°30'38" 119°30'40"

93030994-122CN (PHOTO TAKEN 1993)



TYPICAL THIMBLE

46°30'38" 119°30'40"

93051132-3CN (PHOTO TAKEN 1993)



TYPICAL THIMBLE INTERNAL VIEW

46°30'38" 119°30'40"

93051473-9CN (PHOTO TAKEN 1993)



TYPICAL TROUGH

46°30'38" 119°30'40"

93051473-2CN (PHOTO TAKEN 1993)



CANYON DECK

46°30'38" 119°30'40"


93051132-8CN (PHOTO TAKEN 1993)



AERIAL VIEW

46°30'38" 119°30'40"


93030994-257CN (PHOTO TAKEN 1993)



RAILROAD PIT

46°30'38" 119°30'40"


93040127-3CN (PHOTO TAKEN 1993)



AUTOMOTIVE PIT


46°30'38" 119°30'40"

93040127-2CN (PHOTO TAKEN 1993)





46°30'38" 119°30'40"



93040127-13CN (PHOTO TAKEN 1993)

CORRESPONDENCE DISTRIBUTION COVERSHEET

Author

Addressee

Correspondence No.

R. G. Holt, RL
R. E. Lerch, WHC

D. Butler, Ecology

Incoming 9305714 Xref 9357104D

(J. F. Williams Jr., WHC)

subject: HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION FORM 3, REVISION 2, FOR THE T PLANT COMPLEX (TSD: T-2-7)

INTERNAL DISTRIBUTION Name Location Date w/att Approval Correspondence Control A3-01 X B. A. Austin B2-35 R. C. Bowman H6-24 X χ R. J. Bottenus T3-28 G. D. Carpenter H6-30 P. J. Crane χ T3-28 C. K. DiSibio B3 - 15B. G. Erlandson H6-20D. G. Farwick H4-16 G. W. Faulk T3-28 W. H. Hamilton, Jr. N3 - 10C. B. Hays X L4-97 G. W. Jackson, Assignee H6 - 21R. J. Julian T3-28 R. J. Landon H6-22 M. J. La Barge H6 - 30χ R. E. Lerch B3 - 63P. J. Mackey B3 - 15χ H. E. McGuire, Level 1 B3-63 D. E. McKenney T3-28 χ R. M. Millikin T3-28 S. M. Price H6-23 χ W. B. Smith T3-28 R. S. Weeks H6-26

J. F. Williams Jr.

RCRA File/GHL

JFW File/LB

EPIC

H6 - 24

H6-08

H6-23

H6-24

χ

χ

X

X